UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS NEW BRUNSWICK **NOVA SCOTIA** PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR NUNAVUT YUKON NORTHWEST TERRITORIES MANUFACTURERS HAME: Swagelok Company MANUFACTURERS ADDRESS: 29500 Solon Road, Solon, Ohio 44139 USA PLANT LOCATIONS: Headquarters: 29500 Solon Road, Solon, Ohio 44139 USA (See Attachment A) CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY TITLE OF THE STANDARD OF CONSTRUCTION A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unloss, pipe caps, or reducers ASME B31.1 and ASME B31.3 B Flanges: all flanges C Valves: all fine valves (for unlisted components) C Valves: all line valves

D Expension joints, flexible connections, and hose assemblies: all types

E Strainers, filters, separators, and steam trape

F Messuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters

G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible pluge

H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECB or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT TYPE OF CONSTRUCTION FORGED ID WELDED ID WINDUCKT)D LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: ISO 9001:2015 Certificate, Attachment A, Attachment B, product catalog and other support documents DECLARATION: Davidli Peace Swagelok Compan, (see note 2) employed by and being the person begins full outb and

responsibility for the quality of the end product do soleranly decian my knowledge represents the product for which registration is sout temperature ratings, and identification markings are in accordance manufacture of these fittings is regulated by a Quality Control Progor in part and has been verified by BSI declaration conscientiously believing it to be true, and knowing the	ght. The dimensions, materials of construction, pressure with the herein named standards. I further declare that the pram which extends to each plant where fabrication occurs in what he in a scheing suitable for that reverse sections.
Commissioner of Oaths	USETHIS SPAC Jamie L. Rickeu Resident Portage County OFFICIA E Jamies L. Rickeu
	Nunavut Preca Vessels Act REGISTERED CRN OC 18481a, 2-N Date May 04, 2018 Signed Chief prector
	Territorial Registration Fee

1



Attachment B. Scope of Registration for Swagelok MN Series Process Monoflanges (Category C)

Product Scope

This document represents the scope of Swagelok MN Series Process Monoflanges covered by this submission for CRN approval. These products were designed and evaluated in accordance with ASME B31.1 and ASME B31.3 as unlisted components.

Summary Table

Code of construction is 831.3 only UK

The below table holds true for:

- MN02 Outside Screw & Yoke Series
- MN03 Integral Screwed-Bonnet Needle Valve Series, and
- MN04 Bolted-Bonnet Needle Valve (Primary Bloc) Series

Body Material/ Specification	Continuiration	ASME	Flange Size	Minimum Temperature	Maximum Working Pressure (psig) ¹	
		Class			At 70°F	At 300°F
F316/F316L ASTM A182	Block Valve	150	1/2 in. (DN 15)	-58°F	6000	4660
			3/4 in. (DN 20)			
	Block and Bleed Valve	Bleed Valve 900/1500 Double Block	1 in. (DN 25)			
	Double Block and Bleed		1 1/2 in. (DN 40)			
	and bleed 2500	2 in. (DN 50)		1		

- 1) Maximum temperature: PTFE Packing 400°F, Graphite Packing 850°F,
- 2) All seat and seal combinations
- 3) All flange types: RF smooth, RF serrated, and RTJ

KEITH RUDOLF, P.Eng.

DESIGN SURVEY ENGINEER


- 4) Outlet connection: 1/2 in. female NPT, Monoflange wafer (thru holes)
- 5) Bleed connection: 1/4 in. female NPT, 1/2 in. female NPT, or none

ህ ያ					
SAFETY CODES ACT - PROVINCE OF ALBERTA					
REGISTRATION OF FITTINGS					
REGISTRATION NO. 0 C 1 8 4 8 6 . 2					
DWG. NO. or CAT. NO. Attachment B					
TYPE OF FITTINGS Valve Assemblies					
APR 1 1 2018 INITIALS Model Readely					

Date


As Noted

"See Acceptance Letter for the comments and/or conditions of registration"




Canadian Registration Number Submittal Swagelok Submission #MN(SS)-2017

Product Drawings/Configurations



Double Block and Bleed Valve



Typical Product Characteristics:

The list below shows examples of product options which do not affect the pressure-temperature ratings shown in the above Summary Table. All of the following options are within the scope of this registration:

- Bar Handles (available for block valves and bleed valves)
- Handwheel Handles (for block valves)
- Antitamper bleed valve
- Sour gas service

Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. The Swagelok Company maintains British Standards Institution Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

Special Ordering Instructions

None

References

The product catalog does not represent the full scope of registration, but rather details some of the most common options.

Swagelok Process Interface Valves MS-02-340, R10