UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT

NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS ADDRESS: 29500 Solon Road, Solon, Ohio 44139 USA	
PLANT LOCATIONS: Headquarters: 29500 Solon Road, Solon, Ohio 44139 USA (See At	Tachment A
CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY	TALE OF THE STANDARD OF CONSTRUCT
A Pipe fittings, including couplings, tess, elbows, Ye, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all fine valves B Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, expansions, and steam traps F Measuring devices, including pressure gauges, lovel gauges, sight glasses, lavels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, plping and fuelble plugs B Pressure retaining components that do not fall into one of the above categories N Nuclear-components: Class 1 Class 2 Class 3 Cl. (Meeting AECS or ASME requirements)	ASME 831.1 and ASME 831. (for unlisted components)
HOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONTINUETION
Swagelok	FORCED CI WELDED CI WROUGHT X CAST CI OTHER CI
IST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE RE-	
knowledge represents the product for which registration is sought. The information companied to which registration is sought, the dimensions, materials appropriately and identification markings are in accordance with the herein named standard nuflecture of these fittings is regulated by a Quality Control Program which extends to each place.	of construction, pressure
David H. Peace person a employed by Swagelok Company and bein ponsibility for the quality of the end product do sciennily declare that the information contained knowledge represents the product for which registration is sought. The dimensions, materials approxime ratings, and identification markings are in accordance with the herein named standar nufacture of these fittings is regulated by a Quality Control Program which extends to each plan part and has been verified by BSI as being suitable for that deration conscientiously believing, it is by true, and knowing that it is of the same force and effective of Declarer:	In this form is true and to the best of construction, pressure is, I further declars that the it where fabrication accurs in whole
David H. Peace persons a employed by Swagelok Company and bein ponsibility for the quality of the end product do sciennily declare that the information contained knowledge represents the product for which registration is sought. The dimensions, materials perfoure ratings, and identification markings are in accordance with the herein named standard nuffecture of these fittings is regulated by a Quality Control Program which extends to each plan part and has been verified by BSI os being suitable for their diaration conscientiously believing it to be true, and knowing that it is of the same force and effect are the same of Declarer. USETHIS	In this form is true and to the best of construction, pressure is, I further declare that the ht where fabrication accurs in whole
David H. Peace persons a employed by Swagelok Company and bein ponsibility for the quality of the end product do selemnly declare that the information contained knowledge represents the product for which registration is sought. The dimensions, materials persuine ratings, and identification markings are in accordance with the herein named standard number of these fittings is regulated by a Quality Control Program which extends to each plan in part and has been verified by BSI os being suitable for that iteration conscientiously believing, it is by true, and knowing that it is of the same force and effective of Declarer: Control Program which extends to each plan in part and has been verified by BSI os being suitable for that the same force and effective of Declarer: Control Program County OFFIC	In this form is true and to the best of construction, pressure is, I further declars that the it where fabrication accurs in whole
David H. Peace persons a employed by Swagelok Company and bein possibility for the quality of the end product do solemnly declare that the information contained knowledge represents the product for which registration is sought. The dimensions, materials apperature ratings, and identification markings are in accordance with the herein named standard number of these fittings is regulated by a Quality Control Program which extends to each plan in part and has been verified by BSI os being suitable for that part and has been verified by BSI os being suitable for that plansion conscientiously believing it to be true, and knowing that it is of the same force and effect in the same of Declarer: Company	In this form is true and to the best of construction, pressure ds. I further declare that the nat where fabrication eccurs in whole purpose and I make the same of
David H. Peace person a employed by Swagelok Company and bein ponsibility for the quality of the end product do solemnly declare that the information contained knowledge represents the product for which registration is sought. The dimensions, materials persons ratings, and identification markings are in accordance with the herein named standard nurseture of these firtings is regulated by a Quality Control Program which extends to each plan part and has been verified by BSI as being suitable for that iteration conscientiously believing it to be true, and knowing that it is of the same force and effective of Declarer:	In this form is true and to the best of construction, pressure is, I further declare that the nat where fabrication eccurs in who purpose and I make make the purpose and I make the purpose and I make the purpose in t
David H. Peace personal employed by Swagelok Campany and bein pensibility for the quality of the end product do sciennity declare that the information contained knowledge represents the product for which registration is sought. The dimensions, materials personare ratings, and identification markings are in occordance with the herein named standard personare ratings, and identification markings are in occordance with the herein named standard personare ratings, and identification markings are in occordance with the herein named standard personarce with the herein named standard in part and has been verified by BSI as Quality Centrol Program which extends to each plan and has been verified by BSI as a design of the same force and elfa terration conscientiously believing it is be true, and knowing that it is of the same force and elfa terration of Declarer. It is a peculiar to the injury Public, State of Othe Other County Public; (elgn) and the program of the date of a state of the injury Public; (elgn) and the peculiar ten (10) years from the date of a trial registration must be revalidated after ten (10) years from the date of a county of the personal per	In this form is true and to the best of construction, pressure is, I further declare that the name of the purpose and I prake the purpose and I prake the purpose and I prake the purpose of the purpose
David H. Peace persons a employed by Swagelok Company and bein ponsibility for the quality of the end product do sciennity declare that the information contained knowledge represents the product for which registration is sought. The dimensions, materials apperature ratings, and identification markings are in accordance with the herein named standard number of these fittings is regulated by a Quality Control Program which extends to each plan in part and has been verified by BSI on being suitable for their claration conscientiously believing, it is be true, and knowing that it is of the same force and effect in the same of Declarer: Control Con	In this form is true and to the best of construction, pressure is. I further declare that the it where fabrication eccurs in whole purpose and I praise that the purpose the purpose the purpose that the purpose the purpose the purpose the pu
David H. Peace pensibility for the quality of the end product do solemnly declare that the information contained knowledge represents the product for which registration is sought. The dimensions, materials imperature ratings, and identification markings are in occordance with the herein named standard nuffacture of these fittings is regulated by a Quality Control Program which extends to each plan in part and has been verified by RSI. es being suitable for that it is of the same force and effective of Declarer: diared before me at SOLON On One Issue Library and Issue Library Public, State of Othe Internation of Oathe Internation County OFFIC Internation County OFFIC Internation County OFFIC Internation County Official seal to the right) This registration must be revalidated after ten (10) years from the date of a light faitings shall be registrated in the name of the Manutacturer. All faitings shall be registrated in the name of the Manutacturer. Been category shall be supported with two Statutory Declaration on copy of supporting documentation. UNDER THE THE BOILER	In this form is true and to the best of construction, pressure is. I further declare that the it where fabrication eccurs in whole purpose and I praise that the purpose the purpose the purpose that the purpose the purpose the purpose the pu

To:ACI Central

110678788;

1



Attachment B. Scope of Registration for Swagelok MN Series Process Monoflanges (Category C)

Product Scope

This document represents the scope of Swagelok MN Series Process Monoflanges covered by this submission for CRN approval. These products were designed and evaluated in accordance with ASME B31.1 and ASME B31.3 as unlisted components.

Summary Table

Code of construction is 831.3 only UK

The below table holds true for:

- MN02 Outside Screw & Yoke Series
- MN03 Integral Screwed-Bonnet Needle Valve Series, and
- MN04 Bolted-Bonnet Needle Valve (Primary Bloc) Series

Body Material/ Specification	Configuration	ASME Class	Flange Size	Minimum Temperature	Maximum Working Pressure (psig) ¹	
					At 70°F	At 300°F
F316/F316L ASTM A182 Block a Bleed Va	Block Volvo	Block Valve 150 Block and Bleed Valve 900/1500 Double Block and Bleed 2500	1/2 in. (DN 15)	-58°F	6000	4660
			3/4 in. (DN 20)			
			1 in. (DN 25)			
	급하면 어린 아이는 사람이 되었다.		1 1/2 in. (DN 40)			
	and bleed 2500	2 in. (DN 50)				

- 1) Maximum temperature: PTFE Packing 400°F, Graphite Packing 850°F,
- 2) All seat and seal combinations
- 3) All flange types: RF smooth, RF serrated, and RTJ

KEITH RUDOLF, P.Eng.

DESIGN SURVEY ENGINEER


- 4) Outlet connection: 1/2 in. female NPT, Monoflange wafer (thru holes)
- 5) Bleed connection: 1/4 in. female NPT, 1/2 in. female NPT, or none

ህያ(ብ
SAFETY CODES ACT - PROVINCE OF ALBERTA
REGISTRATION OF FITTINGS
REGISTRATION NO. 0 C 1 8 4 8 6 . 2
DWG. NO. or CAT. NO. Attachment B
TYPE OF FITTINGS Valve Assemblies
APR 1 1 2018 INITIALS Model Readely

Date


As Noted

"See Acceptance Letter for the comments and/or conditions of registration"




Canadian Registration Number Submittal Swagelok Submission #MN(SS)-2017

Product Drawings/Configurations



Double Block and Bleed Valve



Typical Product Characteristics:

The list below shows examples of product options which do not affect the pressure-temperature ratings shown in the above Summary Table. All of the following options are within the scope of this registration:

- Bar Handles (available for block valves and bleed valves)
- Handwheel Handles (for block valves)
- Antitamper bleed valve
- Sour gas service

Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. The Swagelok Company maintains British Standards Institution Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

Special Ordering Instructions

None

References

The product catalog does not represent the full scope of registration, but rather details some of the most common options.

Swagelok Process Interface Valves MS-02-340, R10