UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LAERADOR
MANUFACTURERS NAME	Swagelok Company		
MANUFACTURERS ADDR	ESS: 29500 Solon Road. Solo	on Ohio 44120 URA	
		d, Solon, Ohio 44139 USA d, Solon, Ohio 44139 USA (See	
CATEGORY OF	EITTINGS TO BE REGISTERED. C	a, solon, Unio 44 I 39 USA (See	Attachment A)
A Pipe littings, including cc 8 Flanças: all flançes C Valves: all fine valves DExpanaion joints, flaxible E Strainers, fittars, separat F Measuring devices, inclu pressure transmitters G Cartified capacity-rated p bollers, pressure vassels H Pressure retaining compr	uplings, tees, elbows, Ys, plugs, uni connections, and hose assemblies, ors, and steam traps ding pressure gauges, level gauges, irressure relief devices acceptable as , piping and fusible plugs , piping and fusible plugs	ans, pipe capa, or reducera all types sight glasses, levels, or primury over pressure protection on above categories	Association of Rubber Products Manufacturers (ARPM) Hose Handboo
SHOW MANUEACTURED	HANE YOADSTART CLASS 3 D. (M	eeting AECB or ASME requirements)	
Sw	agelok		FORGED O WELDED O WINDUGHT D CART D OTHER & DEECRARE OTHER: Carbon black- filled virgin PTFE-core
LIST OF SUPPORTING DO	CUMENTATION AND IDENTIFICAT	TION OF THE ACTUAL ITEMS TO BE	E REGISTERED:
loel Feldman, Vice President, I aponaibleity for the quality	ingineering use note 1) employed by	dadate that the information and	being the person having full authority s
teel Feidman, Vice President, I sponsibility for the quality y knowledge represents imperature ratings, and ic anufacture of these fillings in part and has been ver-	r of the end product do soternnly the product for which registration lentification markings are in acco to is regulated by a Quality Cont tient by BSI	declare that the information control is sought. The dimensions, mate ordance with the harein named sta rol Program which extends to each	tried in this form is true and to the best triels of construction, pressure indards. I further declare that the h plant where fabrication occurs in who
esponaibility for the quality ty knowledge represents imperature ratings, and ic vanufacture of these fitting r in part and has been ver- eclaration conscientiously ignature of Declarer:	r of the end product do sotemnly the product for which registration entification markings are in acco is is regulated by a Quality Contr field by BSI believing it to be true, and know	r declare that the information contr is sought. The dimensions, mate ordance with the harein named sta- rol Program which extends to each as being suitable for ving that it is of the same force and	aned in this form is true and to the best crisis of construction, pressure andards. I further declare that the h plant where fabrication occurs in who h plant where fabrication occurs h plant h pla
toel Feidman. Vice President, I responsibility for the quality movie dge represents imperature ratings, and ic anufacture of these fitting r in part and has been ver actaration conscientiously ignature of Declarer: eclared before me at bis day of	r of the end product do sotemnly the product for which registration entification markings are in accor- table and by a Quality Contr field by BSI believing it to be true, and know frable to get a not	r declare that the information contra is sought. The dimensions, mate ordance with the harein named sta rol Program which extends to each ing that it is of the same force and ving that it is of the same force and tary signature	tried in this form is true and to the best triels of construction, pressure indards. I further declare that the h plant where fabrication occurs in who
tool Feidman, Vice President, I responsibility for the quality y knowledge represents imperature ratings, and id anufacture of these fitting in part and has been ver- actaration conscientiously ignature of Declarer: actaration conscientiously ignature of Declarer: actarationer of OathsO Notary Public (sion)	r of the end product do sotermity the product for which registration lentification markings are in acco is is regulated by a Quality Contr field by BSI believing it to be true, and know www.www.www.www. frable to get a not r seal due to COV	r declare that the information control is sought. The dimensions, mate ordance with the harein named sta rol Program which extends to each is being suitable to ving that it is of the same force and tary signature O F VID-19 situation	aned in this form is true and to the best crisis of construction, pressure andards. I further declare that the h plant where fabrication occurs in who h plant where fabrication occurs h plant h pla
teel Feidman, Vice President, I apponsibility for the quality y knowledge represents imperature ratings, and ic anufacture of these fitting in part and has been ver- ectaration conscientiously ignature of Declarer: actared before me at day of nonmissioner of OathsO. Notary Public: (sign)	r of the end product do sotermity the product for which registration entification markings are in acco to is regulated by a Quality Contr field by <u>BSI</u> believing it to be true, and know <u>fool</u> <u>Parts</u> nuble to get a not r seal due to COV <u>usual for 2020</u> the space	r declare that the information contra is sought. The dimensions, mate ordance with the harein nemed ste- rol Program which extends to each as being suitable to ving that it is of the same force and tary signature of VID-19 situation a for Regulatory Authority use ed after ten (10) years from the size	amed in this form is true and to the best enais of construction, pressure andards. I further declare that the h plant where fabrication occurs in who or that purpose and I make this solemn d effect as if made under cath. ISSPACE FOR THE FICIAL SEAL
teal Feidman, Vice President, I responsibility for the quality try knowledge represents imperature ratings, and id anufacture of these fitting r in part and has been ver- eclaration conscientiously ignature of Declarer: eclared before me at his day of ammissioner of OatheO. Notary Public: (sign)	r of the end product do sotermity the product for which registration entification markings are in acco to is regulated by a Quality Contr field by <u>BSI</u> believing it to be true, and know <u>fool</u> <u>Parts</u> nuble to get a not r seal due to COV <u>usual for 2020</u> the space	r declare that the information contra is sought. The dimensions, mate ordance with the harein nemed ste- rol Program which extends to each as being suitable to ving that it is of the same force and tary signature of VID-19 situation a for Regulatory Authority use ed after ten (10) years from the size	and in this form is true and to the best criais of construction, pressure modards. I further declare that the h plant where fabrication occurs in who or that purpose and I make this solemn d effect as if made under oath. IS SPACE FOR THE FICIAL SEAL
Ioel Feldman. Vice President, I esponsibility for the quality hy knowledge represents imperature ratings, and id sanufacture of these fitting r in part and has been ver- ectaration conscientiously ignature of Dectarer:	r of the end product do sotermity the product for which registration entification markings are in acco to is regulated by a Quality Contr field by <u>BSI</u> believing it to be true, and know <u>fool</u> <u>Parts</u> nuble to get a not r seal due to COV <u>usual for 2020</u> the space	declare that the information contra is sought. The dimensions, mate ordance with the harein named sta- rol Program which extends to each as being suitable to ving that it is of the same force and tary signature O F TD-19 situation a for Regulatory Authority use ed after ten (10) years from the same of C.R.N. ODS DT C.R.N. ODS	and in this form is true and to the best erials of construction, pressure madards. I further declare that the h plant where fabrication occurs in who in that purpose and I make this solemn d effect as if made under oath. IS SPACE FOR THE FICIAL SEAL FICIAL SEAL



Canadian Registration Number Submittal Category D Crimped Swagelok NC series PTFE Hose June 22, 2020 Page 1 of 2

Attachment B: Scope of Registration for Crimped Swagelok NC series PTFE Hose Assemblies (Category D)

This document represents the scope of the Swagelok Coreflex (NC series) hose and crimped assemblies covered by this submission for CRN approval. These products have been evaluated in accordance with the Association for Rubber Products Manufacturers (ARPM) Hose Handbook.

Summary Table

NC	Maximum Pressure (psig)					
series Hose Size	At Minimum Temp. (-65°F)	Room temperature (0°-100°F)	At Maximum Temp. (450°F)	Pressure Retaining Material	End Connections and Sizes	Design Code of Construction
3/8"	1250	1250	140	<u>Core</u> Convoluted Bore Carbon Black- filled (PTFE)	Swagelok Tube Fitting [SL SM] 1/8" – 2" (3-50mm) Male & Female NPT Tapered Pipe Fitting [PM PF] 1/8" – 2" Male and Female ISO/BSP Tapered (ISO 7) Pipe Threads [MT FT]	
1/2"	720	750	130	Covered By Ceramic Insulating Wrap <u>Braid</u> Aramid Fiber Braid Reinforcement <u>End</u>	1/4" – 1 [™] Male 37° JIC & Female 37° JIC with female swivel nut [AN, AS] 1/4" – 2" Tube Butt Welds [TB] 1/2" – 1" Female & Male VCO O-ring Face seal Fitting [VF, VM]	Association for Rubber Products Manufacturers (ARPM) Hose Handbook
3/4"	375	375	80	<u>Connections</u> 316 SS <u>Crimp on Collar</u> 300 series SS	1/8" - 2" Male & Female VCR Metal Gasket Face seal Fitting [RF, RM] 1/8" – 2" Female ISO/BSP Parallel Threads (ISO 228) [FS] 1/4"– 1"	

Product Description

NC series is standard Swagelok virgin Convoluted PTFE-lined hose with a Nomex insulating wrap and fiber braid reinforcement. All NC series hoses undergo production testing in accordance with ASTM D380 "Test Methods for Rubber Hose" (version current to hose production date).



Product Options:

Additional options that do not affect pressure and/or temperature ratings may be made available and are within the scope of this approval. Examples of these would include, but not limited to, the following:

300 series SS collar

Cover Options

- Armor guard Interlocking, flexible 302 stainless steel.
- Fire jacket Woven fiberglass coated with specially compounded aerospace-grade silicone rubber
- Spiral guard Helical HDPE plastic

Tag and Marking Options

- Mat tag Polyester tag with customer-specified text
- Lanyard tag Stainless steel tag with customer-specified text

End Connection Seals or Sealants Options

- VCO O-rings
- Pipe Thread ends thread sealant

Quality System

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

The product catalog does not represent the full scope of the registration but rather details some of the most common options. Hose Assemblies, Bulk Hose, and End Connections Product Catalog MS-01-180.

Attachment A. Swagelok Manufacturing Locations

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

Swagelok Company	Swagelok Company (Falon 1)
29500 Solon Road	348 Bishop Road
Solon, Ohio 44139	Highland Heights, Ohio 44143
USA	USA
Swagelok Company (Highland)	Swagelok Company (Falon 2)
318 Bishop Road	358 Bishop Road
Highland Heights, Ohio 44143	Highland Heights, Ohio 44143
USA	USA
Swagelok Company (OFC)	Swagelok Company (HPF)
29495 F.A. Lennon Drive	6050 Cochran Road
Solon, Ohio 44139	Solon, Ohio 44139
USA	USA
Swagelok Company (Atlantic)	Swagelok Company (Snow Metal)
26651 Curtiss Wright Parkway	6060 Cochran Road
Willoughby Hills, Ohio 44092	Solon, Ohio 44139
USA	USA
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139
Swagelok Hose Services Company (SHSC)	Swagelok Company (Strongsville)
29900 Solon Industrial Parkway	15400 Foltz Road
Solon, Ohio 44139	Strongsville, Ohio 44119
Swagelok (China) Fluid System Technologies Ltd.	Swagelok Limited
Changshu Export Process Zone	Ballafletcher Road
Changshu Economic Development Zone	Tromode
Changshu, Jiangshu	IM4 4RA
215513 China	Isle of Man