UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Swagelok Company		
MANUFACTURERS ADDRE		d, Solon, Ohio 44139 USA	
PLANT LOCATIONS: Hea	dquarters: 29500 Solo	n Road, Solon, Ohio 44139 USA	(See Attachment A)
CATEGORY OF F	ITTINGS TO BE REGISTER	ED. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
B Fitinges: all flanges C Valves: all flanges D Expansion joints, flexible E Strainers, filters, separato F Measuring devices, includ pressure transmitters G Certified capacity-raind p boilers, pressure vessels, K Pressure retaining compo	connections, and hose asserts, and steam traps ing pressure gauges, level g ressure relief devices eccept ploing and fusible plugs ments that do not fall into one	auges, sight glasses, levets, or able as primary over pressure protection	Rubber Products Manufacturers (ARPM) Hose Handbook
		OGO AS IT WILL APPEAR ON THE P	RODUCT TYPE OF CONSTRUCTION
Swa	agelok	CAST O OTHER X DESCRIBE OTHER PTFE Core	
LIST OF SUPPORTING DO	CUMENTATION AND IDEN	TIFICATION OF THE ACTUAL ITEMS	TO BE REGISTERED:
responsibility for the quality my knowledge represents temperature ratings, and k manufacture of these litting or in part and has been verification conscientiously Signature of Declarer: Declared before me at	y of the end product do so the product for which registentification markings are go is regulated by a Quali rified by BSI y believing it to be true, and Inable to get a	stration is sought. The dimensions in accordance with the herein name by Control Program which extends the same for the same for a notary signature of the same for the same f	and being the person having full authority and contained in this form is true and to the best of materials of construction, pressure ed standards. I further declare that the peach plant where fabrication occurs in whole able for that purpose and I make this solemn ce and effect as if made under cath. OFFICIAL SEAL
	T	his space for Regulatory Authority use	NI IN IN IN IT
CRN: <u>0D22750.5</u> FID#: <u>1214</u>		evalidated after en (10) years from	Boilers and Pressure Vessels Act
Notes: 1. All fittings shall be regist: 2. Each category shall be a forms and one copy of supp	made by the person having t	Declaration CRN DD2	2750.5 N 2mber 13,2020

Territorial Registration Fee



Canadian Registration Number Submittal
Category D Crimped Swagelok ST series PTFE Hose

THIS IS PART OF CRN 0D22750.5

Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

September 1, 2020 Page 1 of 2

Attachment B: Scope of Registration for Crimped Swagelok ST series PTFE Hose Assemblies (Category D)

This document represents the scope of the Swagelok Coreflex ST series hose and crimped assemblies covered by this submission for CRN approval. These products have been evaluated in accordance with the Association for Rubber Products Manufacturers (ARPM) Hose Handbook.

Summary Table

ST	ST Maximum Pressure (psig)						
series Hose Size	At Minimum Temp. (-65°F)	Room temperature (0°-100°F)	At Maximum Temp. (400°F)	Pressure Retaining Material	End Connections and Sizes	Design Code of Construction	
1/8"	3000	3000	2550				
1/4"	3500	3500	3250	Core Smooth Bore PTFE Braid Synthetic Fiber Braid & 304 SS Braid Reinforcement Cover Silicone cover End Connections 316 SS	Smooth Bore PTFE Braid Synthetic Fiber Braid & Male & Female ISO/BSP Tapere (ISO 7) Pipe Threads [MT, FT] 1/4" – 1" Male 37° JIC & Female 37° JIC with female swivel nut [AN, AS 1/4" – 2" Tube Butt Welds [TB] 1/2" – 1" Male & Female VCO O-ring Face (ISO 7) Pipe Threads [MT, FT] 1/4" – 2" Male 37° JIC & Female 37° JIC with female swivel nut [AN, AS 1/4" – 2" Tube Butt Welds [TB] 1/2" – 1" Male & Female VCO O-ring Face (ISO 7) Pipe Threads [MT, FT] 1/4" – 2" Male 37° JIC & Female 37° JIC with female swivel nut [AN, AS 1/4" – 2" Male & Female VCO O-ring Face (ISO 7) Pipe Threads [MT, FT] 1/4" – 2"		
3/8"	3000	3000	2350			Synthetic Fiber Braid & 304 SS Braid Reinforcement Cover Silicone cover End Connections Male & Female ISO/BSP Tapered (ISO 7) Pipe Threads [MT, FT] 1/4" – 1" Male 37° JIC & Female 37° JIC with female swivel nut [AN, AS] 1/4" – 2" Tube Butt Welds [TB] 1/2" – 1" Male & Female VCO O-ring Face seal Fitting IVE VM1 1/8" 2"	Association for Rubber Products Manufacturers
1/2	1800	1800	1800				Tube Butt Welds [TB] 1/2" – 1" (ARI Ha
3/4	1250	1250	1250	Crimp on Collar 300 series SS	Male & Female VCR Metal Gasket Face seal Fitting [RF, RM] 1/8"- 2" Female ISO/BSP Parallel Threads (ISO 228) [FS] 1/4" – 1"		
1"	1000	1000	1000				



Canadian Registration Number Submittal
Category D Crimped Swagelok ST series PTFE Hose

THIS IS PART OF CRN

0D22750.5

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety

Program


September 1, 2020 Page 2 of 2

Product Description

The Swagelok ST series hose is a virgin PTFE-lined hose with a fiber braid reinforcement and 304 stainless steel reinforcement with silicone cover. The exceptions are the 1/8-inch nominal size hose does not have the fiber braid and the 1 inch nominal size is constructed with two stainless steel braids and no fiber braid. All ST series hoses undergo production testing in accordance with ASTM D380 "Test Methods for Rubber Hose" (version current to hose production date).

Configurations

All end connection inserts are crimped onto the hose using crimp collars.



Product Options:

Additional options that do not affect pressure and/or temperature ratings may be made available and are within the scope of this approval. Examples of these would include, but not limited to, the following:

Cover Options

- Armor guard Interlocking, flexible 302 stainless steel.
- Fire jacket Woven fiberglass coated with specially compounded aerospace-grade silicone rubber
- Spiral guard Helical HDPE plastic

Tag and Marking Options

- Mat tag Polyester tag with customer-specified text
- Lanyard tag Stainless steel tag with customer-specified text

End Connection Seals or Sealants Options

- VCO O-rings
- Pipe Thread ends thread sealant

Quality System

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

The product catalog does not represent the full scope of the registration but rather details some of the most common options. Hose Assemblies, Bulk Hose, and End Connections Product Catalog MS-01-180.

THIS IS PART OF CRN 0D22750.5

Technical Standards and Safety Authority

Attachment A. Swagelok Manufacturing Locations Boilers and Pressure Vessels Safety Program

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

Swagelok Company	Swagelok Company (Falon 1)	
29500 Solon Road	348 Bishop Road	
Solon, Ohio 44139	Highland Heights, Ohio 44143	
USA	USA	
Swagelok Company (Highland)	Swagelok Company (Falon 2)	
318 Bishop Road	358 Bishop Road	
Highland Heights, Ohio 44143	Highland Heights, Ohio 44143	
USA	USA	
Swagelok Company (OFC)	Swagelok Company (HPF)	
29495 F.A. Lennon Drive	6050 Cochran Road	
Solon, Ohio 44139	Solon, Ohio 44139	
USA	USA	
Swagelok Company (Atlantic)	Swagelok Company (Snow Metal)	
26651 Curtiss Wright Parkway	6060 Cochran Road	
Willoughby Hills, Ohio 44092	Solon, Ohio 44139	
USA	USA	
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139	
Swagelok Hose Services Company (SHSC)	Swagelok Company (Strongsville)	
29900 Solon Industrial Parkway	15400 Foltz Road	
Solon, Ohio 44139	Strongsville, Ohio 44119	
Swagelok (China) Fluid System Technologies Ltd. Changshu Export Process Zone Changshu Economic Development Zone Changshu, Jiangshu 215513 China	Swagelok Limited Ballafletcher Road Tromode IM4 4RA Isle of Man	