UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT NOVA SCOTIA YUKON PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Swagelok Company MANUFACTURERS ACORESS: 29500 Solon Road, Solon, Ohio 44139-3492 PLANT LOCATIONS: Headquarters: 29500 Solon Road, Solon, Ohio 44139-3492 (See Att	
PLANT LOCATIONS: Headquarters: 29500 Solon Road, Solon, Objo 44139-3492 (See Att	
1 Stories and the stories are the stories and the stories and the stories are the stories and the stories are stories and the stories are the the	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	THE OF THE STANDARD OF CONSTRUCTION
Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers Flanges: all fineges C Valves: all fine valves D Expansion joints, flaxible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure Transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on bollers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fell into one of the above categories N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECB or ASME requirements)	ASME B31.1 and B31.3 Unlisted Components
SHOW MANUFACTURERS NAME, TRADEMARK, OR LODG AS IT WILL APPEAR ON THE PRODUCT	TIPE OF CONSTRUCTION
Swagelok	FORCED WELDED WAS WOUGHT CAST CAST RESERVED OTHER BY Injection Moided
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE RE	GISTERED:
DECLARATION: I David H. Peace	ing the person having full authority and
temperature ratings, and identification markings are in accordance with the herein named stands manufacture of these fittings is regulated by a Quality Control Program which extends to each profit part and has been verified by The Rightsh Standards Institution—es being suitable for the declaration conscientiously believing it the tride, and knowing that it is of the same force and estimated before me et that the control of the same force and estimated before me et that the control of the same force and estimated before me et that the control of the same force and estimated before me et that the control of the same force and estimated before me et that the control of the same force and estimated before me et that the control of the same force and estimated before me et that the control of the same force and estimated before me et that the control of the same force and estimated before me et that the control of the same force and estimated before me et that the control of the same force and estimated before the same force and estimated before me et that the control of the same force and estimated before me et that the control of the same force and estimated before me et that the control of the same force and estimated before me et that the control of the same force and estimated before me et that the control of the same force and estimated before me et that the control of the same force and estimated before me et that the control of the same force and estimated before me et that the control of the same force and estimated before me et that the control of the same force and estimated before me et that the control of the same force and estimated before me et that the control of the same force and estimated before me et that the control of the same force and estimated before me et that the control of the same force and estimated before me estimated by the control of the same force and estimated by the same force and estim	Is of construction, pressure ards. I further declare that the ant where fabrication occurs in whole not purpose and I make this solemn effect as if made under tath. SPACE FOR THE I CIAL SEAL
temperature ratings, and identification markings are in accordance with the herein named stands manufacture of these fittings is regulated by a quality Control Program which extends to each provin part and has been verified by The Illition as being suitable for the declaration conscientiously believing it be true, and knowing that it is of the same force and estimators of Declarer. Declared before me at the province of Declarer of Declared before me at the province of Declared Declar	Is of construction, pressure ards. I further declare that the ant where fabrication occurs in whole not purpose and I make this solemn effect as if made under tath. SPACE FOR THE I CIAL SEAL

Attachment B. Scope for Swagelok PFA Tube Fittings (Category A)

Product Scope

This document represents the scope of the PFA Tube Fittings covered by this submission for CRN approval. The Swagelok PFA Tube Fittings were designed and evaluated in accordance with ASME B31.1 for unlisted components and ASME B31.3 for unlisted components.

Summary Table

The following table outlines key technical data for the products in scope of this application. Also included are standards for the materials of construction of the PFA Fittings.

Product Series Main Pressure Bearing Component	sure 3 ant	Main	Port Connections and Sizes	Maximum Rated Pressure		
	Main Press Bearing Compone	Pressure Bearing Material		Ambient Temperature (70°F)	Maximum Temperature (140⁰F)	Design Code of Construction
PFA-220	Body	PFA (ASTM D3307)	PFA Tube Fitting 1/8"	150 psi	150 psi	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
PFA-420	Body	PFA (ASTM D3307)	PFA Tube Fitting 1/4"	150 psi	150 psi	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
PFA-620	Body	PFA (ASTM D3307)	PFA Tube Fitting 3/8"	125 psi	109 psi	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
PFA-820	Body	PFA (ASTM D3307)	PFA Tube Fitting ½"	80 psi	74 psi	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)

ASME B31.1 Section 105.3 limits the product ratings in non-metallic piping systems to a maximum pressure of 150 psi (10.3 bar) and a maximum temperature of 140 °F (60 °C).



Product Illustration



Typical Product Characteristics:

Some of the product options listed below do not affect the pressure-temperature ratings shown in the Summary Table. All of the following options are within the scope of this registration:

Caps and Plugs

Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. The Swagelok Company maintains British Standards Institution Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate. The PFA Tube Fittings are manufactured at Swagelok Company locations in Solon, Ohio and Tromode, Isle of Man, British Isles.

References

The product catalog does not represent the full scope of registration, but rather details some of the most common options.

PFA Tube Fitting Catalog MS-01-05, R8

