

(Show details of logo or trademark, as it will appear on the fitting as evidence of certification)

Swagelok

DECLARATION OF CONFORMITY
REGISTRATION OF FITTINGS

ACCEPTED

PROVINCE OF PRINCE EDWARD ISLAND

C.R.N.: OC 18853.5 Rev 1

DATE: JUL 31/26

SIGNED: [Signature]

INSPECTION SERVICES SECTION

BOILER/PRESSURE VESSEL BRANCH

CRN: OC18853.5 Rev.1

Declaration No.: (document no. as issued by the manufacturer)

CRN-SK-VALVE

Revision:

001

Manufacturer: (Name and Address)

Swagelok Company 29500 Solon Road, Solon, OH 44139

***Table 1 Scope of Fitting Designs**

Item No.	Type / Model	Product Description	Material of Construction	MDMT	Rated Pressure			References: Catalog (pages) or Drawing(s)
					At Ambient Temperature	At Maximum Temperature		
1	SK Series	Ball Valve	Stainless Steel	-40F	6000 PSIG	3000	at 302F	MS-02-345
2							at	
3							at	
4							at	
5							at	

****Table 2 Codes, Standards, Guidelines, and Other Applicable Documents**

Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision	Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision
1	ASME B31.1	2024	4		
2	ASME B31.3	2024	5		
3			6		

*****Table 3 Quality Program Verification and Manufacturing Sites**

Item No.	Location(s) Plant Name and Address / Site(s)	Quality Program Certificate Number	Expiry Date	Verifying Organization
1	See scope of ISO 9001 Certificate	FM 01729	04/24/27	The British Standards Institution (BSI)
2				
3				

A copy of the Quality Certificate from each manufacturing site must be included.

Remarks

(other relevant information)

Quality Program

As an official of the manufacturer with authority, and having responsibility for the conformity and regulatory compliance of the fittings, I hereby declare that the information and statements made in this declaration of conformity are true and accurate.

I declare, under our sole responsibility, that the design, construction, certification, and marking of the fitting(s) listed in Table 1*, are subject to a conformity assessment process and quality program that has been verified, as described in Table 3***.

I certify that the fitting(s) listed in Table 1* conform to: the provisions of the acts and regulations of the provinces and territories where the fitting(s) are registered; CSA B51; and the codes, standards, guidelines, or other applicable documents listed in Table 2**.

I further declare that there is a process in place for the retention of this declaration of conformity for not less than 10 years from the issuance of the Canadian Registration Number (CRN).

Signed for and on behalf of Swagelok

(Manufacturer)

In the Solon

(City)

Ohio, USA

(State / Province, Country)

James S. Nordholt

(Name, please print)

Vice President Engineering & Quality

(Function or Title)

[Signature]

(Signature of Declarer)

06/24/2026


(Date)

(Place trademark or logo or trademark as it will appear on the fitting as evidence of conformance)

Swagelok

DECLARATION OF CONFORMITY REGISTRATION OF FITTINGS

CRN: 0C18853.5 Rev.1



Declaration No.: (Document no. as issued by the manufacturer)

CRN-SK-VALVE

Revision:
001

Manufacturer (Name and Address)

Swagelok Company 29500 Solon Road, Solon, OH 44139

***Table 1 Scope of Fitting Design**

Item No.	Type / Model	Product Description	Material of Construction	MDMT	Rated Pressure			Reference: Catalog (pages) or Drawing(s)
					At Ambient Temperature	At Maximum Temperature		
1	SK Series	Ball Valve	Stainless Steel	-40F	6000 PSIG	3000	at 302F	MS-02-345
2							at	
3							at	
4							at	
5							at	

****Table 2 Codes, Standards, Guidelines, and Other Applicable Documents**

Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision	Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision
1	ASME B31.1	2024	4		
2	ASME B31.3	2024	5		
3			6		

*****Table 3 Quality Program Verification and Manufacturing Sites**

Item No.	Location(s) Plant Name and Address / Site(s)	Quality Program Certificate Number	Expiry Date	Verifying Organization
1	See scope of ISO 9001 Certificate	FM 01729	04/24/27	The British Standards Institution (BSI)
2				
3				

A copy of the Quality Certificate from each manufacturing site must be included.

Remarks

(Other relevant information)

Quality Program

As an official of the manufacturer with authority, and having responsibility for the conformity and regulatory compliance of the fittings, I hereby declare that the information and statements made in this declaration of conformity are true and accurate.

I declare, under our sole responsibility, that the design, construction, certification, and marking of the fitting(s) listed in Table 1*, are subject to a conformity assessment process and quality program that has been verified, as described in Table 3***.

I certify that the fitting(s) listed in Table 1* conform to: the provisions of the acts and regulations of the provinces and territories where the fitting(s) are registered; CSA B51; and the codes, standards, guidelines, or other applicable documents listed in Table 2**.

I further declare that there is a process in place for the retention of this declaration of conformity for not less than 10 years from the issuance of the Canadian Registration Number (CRN).

Signed for and on behalf of Swagelok

(Manufacturer)

In the Solon

(City)

Ohio, USA

(State / Province, Country)

James S. Nordhoff

(Name, please print)

Vice President Engineering & Quality

(Function or Title)

[Signature]

(Signature of Declarer)

06/24/2026
(Date)

(Show facsimile of logo or trademark, as it will appear on the fitting as evidence of certification)

Swagelok

DECLARATION OF CONFORMITY
REGISTRATION OF FITTINGS

REGISTRATION ONLY

CRN 0C18853.5 Rev1

[Signature]
CHIEF BOILER INSPECTOR

DATE 7/30/26

CRN: 0C18853.5 Rev.1

☐ BLRs

☐ PVs

Revision:

001 ☒ FITTINGS ☐ NUCLEAR COMPONENTS

Declaration No.: (document no. as issued by the manufacturer)

CRN-SK-VALVE

Manufacturer (Name and Address)

Swagelok Company 29500 Solon Road, Solon, OH 44139

***Table 1 Scope of Fitting Designs**

Item No.	Type / Model	Product Description	Material of Construction	MDMT	Rated Pressure			References: Catalog (pages) or Drawing(s)
					At Ambient Temperature	At Maximum Temperature		
1	SK Series	Ball Valve	Stainless Steel	-40F	6000 PSIG	3000	at 302F	MS-02-345
2							at	
3							at	
4							at	
5							at	

****Table 2 Codes, Standards, Guidelines, and Other Applicable Documents**

Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision	Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision
1	ASME B31.1	2024	4		
2	ASME B31.3	2024	5		
3			6		

*****Table 3 Quality Program Verification and Manufacturing Sites**

Item No.	Location(s) Plant Name and Address / Site(s)	Quality Program Certificate Number	Expiry Date	Verifying Organization
1	See scope of ISO 9001 Certificate	FM 01729	04/24/27	The British Standards Institution (BSI)
2				
3				

A copy of the Quality Certificate from each manufacturing site must be included.

Remarks

(other relevant information)

Quality Program

As an official of the manufacturer with authority, and having responsibility for the conformity and regulatory compliance of the fittings, I hereby declare that the information and statements made in this declaration of conformity are true and accurate.

I declare, under our sole responsibility, that the design, construction, certification, and marking of the fitting(s) listed in Table 1*, are subject to a conformity assessment process and quality program that has been verified, as described in Table 3***.

I certify that the fittings (s) listed in Table 1* conform to: the provisions of the acts and regulations of the provinces and territories where the fitting(s) are registered; CSA B51; and the codes, standards, guidelines, or other applicable documents listed in Table 2**.

I further declare that there is a process in place for the retention of this declaration of conformity for not less than 10 years from the issuance of the Canadian Registration Number (CRN).

Signed for and on behalf of

Swagelok

in the Solon

Ohio, USA

(Manufacturer)

(City)

(State / Province, Country)

James S. Nordholt

Vice President Engineering & Quality

(Name, please print)

(Function or Title)

(Signature of Declarer)

(Date)

[Signature] 06/24/2026

(Other brands of type or design, as it will appear on the fitting as evidence of conformity)

Swagelok

DECLARATION OF CONFORMITY REGISTRATION OF FITTINGS

Registered OC18853.50 Rev.1

Date Aug 6, 2026

Engineering and Inspection Services

Registered by [Signature]

UNDER THE AUTHORITY OF THE
PUBLIC SAFETY ACT AND
THE BOILER, PRESSURE VESSEL AND
COMPRESSED GAS REGULATIONS

CRN: OC18853.5 Rev.1

Declaration No. (Declaration as issued by the manufacturer)

CRN-SK-VALVE

Revision:

001

Manufacturer (Name and Address)

Swagelok Company 29500 Solon Road, Solon, OH 44139

*Table 1 Scope of Fitting Designs

Item No.	Type / Model	Product Description	Material of Construction	MDMT	Rated Pressure			References: Catalog (pages) or Drawing(s)
					At Ambient Temperature	At Maximum Temperature		
1	SK Series	Ball Valve	Stainless Steel	-40F	6000 PSIG	3000	at 302F	MS-02-345
2							at	
3							at	
4							at	
5							at	

**Table 2 Codes, Standards, Guidelines, and Other Applicable Documents

Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision	Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision
1	ASME B31.1	2024	4		
2	ASME B31.3	2024	5		
3			6		

***Table 3 Quality Program Verification and Manufacturing Sites

Item No.	Location(s) Plant Name and Address / Site(s)	Quality Program Certificate Number	Expiry Date	Verifying Organization
1	See scope of ISO 9001 Certificate	FM 01729	04/24/27	The British Standards Institution (BSI)
2				
3				

A copy of the Quality Certificate from each manufacturing site must be included.

Remarks

(Other relevant information)

Quality Program

As an official of the manufacturer with authority, and having responsibility for the conformity and regulatory compliance of the fittings, I hereby declare that the information and statements made in this declaration of conformity are true and accurate.

I declare, under our sole responsibility, that the design, construction, certification, and marking of the fitting(s) listed in Table 1*, are subject to a conformity assessment process and quality program that has been verified, as described in Table 3**.

I certify that the fitting(s) listed in Table 1* conform to: the provisions of the acts and regulations of the provinces and territories where the fitting(s) are registered; CSA B31; and the codes, standards, guidelines, or other applicable documents listed in Table 2**.

I further declare that there is a process in place for the retention of this declaration of conformity for not less than 10 years from the issuance of the Canadian Registration Number (CRN).

Signed for and on behalf of Swagelok

(Manufacturer)

in the Solon

(City)

Ohio, USA

(State / Province, Country)

James S. Nordhoff

(Name, please print)

Vice President Engineering & Quality

(Function or Title)

[Signature] 06/24/2026

(Signature of Declarer)


(Date)

(Show examples of logo or trademark as it will appear on the fitting as evidence of certification)

Swagelok

DECLARATION OF CONFORMITY REGISTRATION OF FITTINGS

CRN: 0C18853.5 Rev.1



Declaration No.: (document no. as issued by the manufacturer)

CRN-SK-VALVE

Revision:

001

Manufacturer

(Name and Address)

Swagelok Company 29500 Solon Road, Solon, OH 44139

***Table 1 Scope of Fitting Designs**

Item No.	Type / Model	Product Description	Material of Construction	MOMT	Rated Pressure			References: Catalog (pages) or Drawing(s)
					At Ambient Temperature	At Maximum Temperature		
1	SK Series	Ball Valve	Stainless Steel	-40F	6000 PSIG	3000	at 302F	MS-02-345
2							at	
3							at	
4							at	
5							at	

****Table 2 Codes, Standards, Guidelines, and Other Applicable Documents**

Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision	Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision
1	ASME B31.1	2024	4		
2	ASME B31.3	2024	5		
3			6		

*****Table 3 Quality Program Verification and Manufacturing Sites**

Item No.	Location(s) Plant Name and Address / Site(s)	Quality Program Certificate Number	Expiry Date	Verifying Organization
1	See scope of ISO 9001 Certificate	FM 01729	04/24/27	The British Standards Institution (BSI)
2				
3				

A copy of the Quality Certificate from each manufacturing site must be included.

Remarks

(other relevant information)

Quality Program

As an official of the manufacturer with authority, and having responsibility for the conformity and regulatory compliance of the fittings, I hereby declare that the information and statements made in this declaration of conformity are true and accurate.

I declare, under our sole responsibility, that the design, construction, certification, and marking of the fitting(s) listed in Table 1*, are subject to a conformity assessment process and quality program that has been verified, as described in Table 3***.

I certify that the fittings (s) listed in Table 1* conform to the provisions of the acts and regulations of the provinces and territories where the fitting(s) are registered; CSA B51; and the codes, standards, guidelines, or other applicable documents listed in Table 2**.

I further declare that there is a process in place for the retention of this declaration of conformity for not less than 10 years from the issuance of the Canadian Registration Number (CRN).

Signed for and on behalf of

Swagelok

(Manufacturer)

In the Solon

(City)

Ohio, USA

(State / Province, Country)

James S. Nordholt

(Name, please print)

Vice President Engineering & Quality

(Function or Title)

(Signature of Declarer)

(Date)

06/24/2026

(Show facsimile of logo or trademark, as it will appear on the fitting as evidence of certification)

Swagelok

DECLARATION OF CONFORMITY REGISTRATION OF FITTINGS

CRN: 0C18853.5 Rev.1

Northwest
Territories

REGISTERED
UNDER THE AUTHORITY OF
THE BOILER AND PRESSURE
VESSEL ACT.

C.R.N. 0C18853.5 Rev.1

SIGNED Matthew Mailman

DATE 7/30/26

Declaration No.: (document no. as issued by the manufacturer)

CRN-SK-VALVE

Revision:

001

Manufacturer (Name and Address)

Swagelok Company 29500 Solon Road, Solon, OH 44139

***Table 1 Scope of Fitting Designs**

Item No.	Type / Model	Product Description	Material of Construction	MDMT	Rated Pressure			References: Catalog (pages) or Drawing(s)
					At Ambient Temperature	At Maximum Temperature		
1	SK Series	Ball Valve	Stainless Steel	-40F	6000 PSIG	3000	at 302F	MS-02-345
2							at	
3							at	
4							at	
5							at	

****Table 2 Codes, Standards, Guidelines, and Other Applicable Documents**

Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision	Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision
1	ASME B31.1	2024	4		
2	ASME B31.3	2024	5		
3			6		

*****Table 3 Quality Program Verification and Manufacturing Sites**

Item No.	Location(s) Plant Name and Address / Site(s)	Quality Program Certificate Number	Expiry Date	Verifying Organization
1	See scope of ISO 9001 Certificate	FM 01729	04/24/27	The British Standards Institution (BSI)
2				
3				

A copy of the Quality Certificate from each manufacturing site must be included.

Remarks

(other relevant information)

Quality Program

As an official of the manufacturer with authority, and having responsibility for the conformity and regulatory compliance of the fittings, I hereby declare that the information and statements made in this declaration of conformity are true and accurate.

I declare, under our sole responsibility, that the design, construction, certification, and marking of the fitting(s) listed in Table 1*, are subject to a conformity assessment process and quality program that has been verified, as described in Table 3***.

I certify that the fittings (s) listed in Table 1* conform to: the provisions of the acts and regulations of the provinces and territories where the fitting(s) are registered; CSA B51; and the codes, standards, guidelines, or other applicable documents listed in Table 2**.

I further declare that there is a process in place for the retention of this declaration of conformity for not less than 10 years from the issuance of the Canadian Registration Number (CRN).

Signed for and on behalf of Swagelok in the Solon Ohio, USA
(Manufacturer) (City) (State / Province, Country)
James S. Nordholt Vice President Engineering & Quality 06/24/2026
(Name, please print) (Function or Title) (Signature of Declarer) (Date)



NUNAVUT
Boilers and
Pressure Vessels Act

REGISTERED

0C18853.5N Rev.1

CRN

Date

07/30/2026

Signed

Chief Inspector

Territorial Registration Fee

(Where applicable, type or trademark, and full name of the fitting as evidence of certification)

Swagelok

DECLARATION OF CONFORMITY
REGISTRATION OF FITTINGS

CRN: 0C18853.5 Rev.1

Declaration No.: (document as released by the manufacturer)

CRN-SK-VALVE

Revision:

001

Manufacturer

Swagelok Company 29500 Solon Road, Solon, OH 44139

Table 1 Scope of Fitting Designs

Item No.	Type / Model	Product Description	Material of Construction	MOMT	Rated Pressure			Reference: Catalog (pages) or Drawing(s)
					At Ambient Temperature	At Maximum Temperature		
1	SK Series	Ball Valve	Stainless Steel	-40F	6000 PSIG	3000	at 302F	MS-02-345
2							at	
3							at	
4							at	
5							at	

Table 2 Codes, Standards, Guidelines, and Other Applicable Documents

Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision	Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision
1	ASME B31.1	2024	4		
2	ASME B31.3	2024	5		
3			6		

Table 3 Quality Program Verification and Manufacturing Sites

Item No.	Location(s) Plant Name and Address / Site(s)	Quality Program Certificate Number	Expiry Date	Verifying Organization
1	See scope of ISO 9001 Certificate	FM 01729	04/24/27	The British Standard's Institution (BSI)
2				
3				

A copy of the Quality Certificate from each manufacturing site must be included.

Remarks

(Other relevant information)

Quality Program

As an official of the manufacturer with authority, and having responsibility for the conformity and regulatory compliance of the fittings, I hereby declare that the information and statements made in this declaration of conformity are true and accurate.

I declare, under our sole responsibility, that the design, construction, certification, and marking of the fitting(s) listed in Table 1*, are subject to a conformity assessment process and quality program that has been verified, as described in Table 3**.

I certify that the fitting(s) listed in Table 1* conform to the provisions of the acts and regulations of the provinces and territories where the fitting(s) are registered; CSA B51; and the codes, standards, guidelines, or other applicable documents listed in Table 2**.

I further declare that there is a process in place for the retention of this declaration of conformity for not less than 10 years from the issuance of the Canadian Registration Number (CRN).

Signed for and on behalf of

Swagelok

In the Solon

Ohio, USA

James S. Nordhoff

Vice President Engineering & Quality

(Please, please print)

(Function or Title)

(City)

(State / Province, Country)

(Signature of Declarer)

(Date)

06/24/2026

Attachment B1:Scope for Swagelok SK Series Ball Valves(Category C)


This document represents the scope of the Swagelok SK Series Ball Valves covered by this submission for CRN approval. The Swagelok SK Series Ball Valves were designed and evaluated in accordance with ASME B31.1-2024 and ASME B31.3-2024 as unlisted components.

Summary Table

Product Series	Main Pressure Bearing Component	Main Pressure Bearing Material (Standard)	Port Connections and Sizes	Maximum Rated Pressure (psig)		Design Code of Construction
				At ambient temperature*	At max temperature	
4SK	Body, End Screw, Packing Bolt	316 SS / A479	Swagelok tube fitting: 1/4", 3/8", 6mm, 8mm Female NPT: 1/4" Female ISO: 1/4" Male NPT: 1/4" Male VCO: 1/4"	6000 psig	3000 psig @ 302°F	ASME B31.1 ASME B31.3 (For Unlisted Components)

* The lowest temperature rating (MDMT) of the Swagelok SK Series Ball Valve is -40°F.

Product Illustration





Product Options:

Some of the product options listed below do not affect the pressure-temperature ratings shown in the Summary Table. All of the following options are within the scope of this registration:

- Male or Female End Connections
- Low Temperature Seals
- Handle Options
- Cleaning Options

Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate. The Swagelok SK Series Ball Valves are manufactured at Swagelok Company locations in Solon, Ohio.

References

The product catalog does not represent the full scope of registration but rather details some of the most common options.

- Multipurpose Ball Valves MS-02-345