UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

NONTHWEST TERRITORIES	
ANUFACTURERS NAME: Swagelok Company	
ANUFACTURERS ADDRESS: 29500 Solon Road, Solon, Ohio 44139 USA	
ANT LOCATIONS: Headquarters: 29500 Solon Road, Solon, Ohio 44139 USA (Se	e Attachment A)
CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers Flanges: all flanges Valves: all line valves Expansion joints, flexible connections, and hose assemblies: all types Strainers, filters, separators, and steam traps Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters	ASME B31.3 Chapter IX, for unlisted components where applicable
Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on bollers, pressure vessels, piping and fusible plugs Pressure retaining components that do not fall into one of the above categories Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECB or ASME requirements	
HOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRO-	FORGED WELDED WROUGHT (X) CAST OTHER DESCRIBE OTHER:
IST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO	BE DECISTEDED.
sponsibility for the quality of the end product do sciemnly declare that the information co y knowledge represents the product for which registration is sought. The dimensions, m mperature ratings, and identification markings are in accordance with the herein named anufacture of these fittings is regulated by a Quality Control Program which extends to e	aterials of construction, pressure standards. I further declare that the ach plant where fabrication occurs in whole
in part and has been verified by <u>BSI</u> as being suitable claration conscientiously believing it to be true, and knowing that it is of the same force gnature of Declarer:	for that oursees and I make this and and
Ommissioner of Oaths Notary Public: (sign) (Affix Official seal to the right) AD AMOP Jamie L. Ristau Resident Portage County Ketary Public, State of Ohio My Commission Expires: 03/06/201	FFICIAL SEAS
This space for Regulatory Authority use	LA STATE OF THE ST
This registration must be revalidated after ten (10) years from the CRN: 0A18544.5	DEPT OF PUBLIC SAFETY
FID#: 1214	LER & PRESSURE VESSELACT
Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	CHIEF BOLER HOLLOW
¹ □	BLAS D PVs
¥ U	FITTINGS TOMPONENTS

Attachment B. Scope of Registration for Swagelok Tube Fittings to SAE MS Ends (Category A)

Product Scope

This document represents the scope of Swagelok 1/2" and 3/4" Tube Fittings with 1/2" Medium Pressure SAE/MS ends, covered by this submission for CRN approval. The Medium Pressure Fittings have been evaluated in accordance with ASME B31.3 for unlisted components and ASME B31.1 for unlisted components.


Summary Tables

Product Description or Series	Material	Port Connections and Sizes	Maximum Allowable Working Pressure		Design Code of
			Ambient temperature	At maximum temperature	Construction
Tube fitting*	316 Stainless Steel (ASTM A479)	Tube Fitting, Tube Adapter 1/2"	6,700 PSI	5,092 PSI @ 1000°F	ASME B31.3 (Unlisted Components)
		Tube Fitting, Tube Adapter 3/4"	5,800 PSI	4,408 PSI @ 1000°F	ASME B31.1 (Listed Components)

^{*} Note: 1/2" SAE MS port connection rated at 9,137 psi at ambient temperature according to SAE J1926-2, Rev. MAR2010. The tube fitting port connections are thus considered the limiting factor.

Product Description

Swagelok SAE / MS Medium Pressure Fittings coupled with the tube fittings identified above are furnished as straight shaped fittings. Swagelok Tube Fittings consist of at least one Swagelok End – a proprietary two-ferrule mechanical-grip design.



Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

The product catalogs do not represent the full scope of registration, but rather details some of the most common options.

- Medium and High Pressure Valves, Fittings and Tubing Catalog MS-02-472
- Gaugeable Tube Fittings and Adapter Fittings MS-01-140
- Tubing Data Sheet MS-01-107