UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT

at a maximum interval of five (5) years.

NOVA SCOTIA YUKON PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Swagelok Company						
MANUFACTURERS ADDRESS: 29500 Solon Road Solon Ohio 44139 USA						
PLANT EOCATIONS: Headquarters; 29500 Solon Road, Solon, Objo 44139 USA (See Att	achment A)					
SATISSANT OF PITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY TITLE OF THE STANDARD OF CONSTRUCTION						
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all fine valves						
D Expansion joints, fisxible connections, and hose assembles: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters	ASME 831,3 Chapter IX, for unlisted components where applicable					
G. Certifled capacity-rated pressure relief devices acceptable as primary over pressure protection on bollers, pressure vessels, piping and fusible plugs H. Pressure retaining components that do not fall into one of the above categories.						
N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECB or ASME requirements)						
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION					
Swagelok	FORGEO U WELDED U WROUGHT XI CAST U OTHER U CESCRIBE OTHER:					
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:						
ISO 9001:2008 Quality System Certificate, Sales Drawings and other Support Documents, Atta Items to be registered: 1/2 inch SAE/MS to 1/2 inch and 3/4 inch tube adapter fittings, 1/2 in inch tube fittings	ichment B. Artochesen A					
,	Ì					
,	i					
DECLARATION:						
my knowledge represents the product for which registration is sought. The dimensions, material temperature ratings, and identification markings are in accordance with the herein named stands manufacture of these fittings is regulated by a Quality Control Program which extends to each pi	is of construction, pressure ards. I further declare that the ant where fabrication occurs in whole					
Signature of Declarer:	And the second of the second o					
Declared before me at Solon, ONIO USETHIS	SPACE FOR TAKE					
This VIV day of alune AD AOULD	ICIAL SEAR					
Commissioner of Oaths James L. Ristau Resident Portage County or Notary Public: (sign) A Notary Public, State of Oitio						
(Affix Official seal to the right) My Commission Expires: 03/06/2019						
This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.						
CRN: 0A18544.5	Mannan					
FID#: 1214	0A18544.5					
Notes: 1. All fillings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation	7/1/25/2016					

Attachment B. Scope of Registration for Swagelok Tube Fittings to SAE MS Ends (Category A)

Product Scope

This document represents the scope of Swagelok 1/2" and 3/4" Tube Fittings with 1/2" Medium Pressure SAE/MS ends, covered by this submission for CRN approval. The Medium Pressure Fittings have been evaluated in accordance with ASME B31.3 for unlisted components and ASME B31.1 for unlisted components.


Summary Tables

Product Description or Series	Material	Port Connections and Sizes	Maximum Allowable Working Pressure		Design Code
			Ambient temperature	At maximum temperature	of Construction
Tube fitting*	316 Stainless Steel (ASTM A479)	Tube Fitting, Tube Adapter 1/2"	6,700 PSI	5,092 PSI @ 1000°F	ASME B31.3 (Unlisted Components)
		Tube Fitting, Tube Adapter 3/4"	5,800 PSI	4,408 PSI @ 1000°F	ASME B31.1 (Listed Components)

^{*} Note: 1/2" SAE MS port connection rated at 9,137 psi at ambient temperature according to SAE J1926-2, Rev. MAR2010. The tube fitting port connections are thus considered the limiting factor.

Product Description

Swagelok SAE / MS Medium Pressure Fittings coupled with the tube fittings identified above are furnished as straight shaped fittings. Swagelok Tube Fittings consist of at least one Swagelok End – a proprietary two-ferrule mechanical-grip design.



Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

The product catalogs do not represent the full scope of registration, but rather details some of the most common options.

- Medium and High Pressure Valves, Fittings and Tubing Catalog MS-02-472
- Gaugeable Tube Fittings and Adapter Fittings MS-01-140
- Tubing Data Sheet MS-01-107